MATERIAL SAFETY DATA SHEET

Product: Revision Date: Ceramabond 690

2/12/2009

1. MATERIAL IDENTIFICATION

Product Name:

Ceramabond 690

Product Description:

White, Viscous, and Odorless Paste

Product Use:

High Temperature Adhesive/Coating System

Manufacturer:

Aremco Products, Inc. 707-B Executive Bivd. Valley Cottage, NY 10989

Telephone:

845-268-0039

Emergency Phone:

845-268-0039 or Infotrac (24/7) 800-535-5053

2. COMPOSITION

Ingredient	CAS#	ACGIH TLV (mg/m³)	OSHA PEL (mg/m³)
Boron Nitride	10043-11-5	10	15
	13530-50-2		N/E
Monoaluminum Phosphate			N/A
Water	7732-18-5	N/A	IN//N

Notes:

1) This product is a liquid mixture and all powders are encapsulated.

2) Exposure values shown for guidance only. Please follow applicable regulations.

3. HAZARDS IDENTIFICATION

Emergency Overview:

White, odorless, paste. Causes irritation to eyes, skin, and digestive tract.

Eye Contact:

May cause eye irritation or burns.

Skin Contact:

May cause irritation and burning of skin.

Inhalation Acute:

Mists may cause irritation to upper respiratory track. May cause Irritation to mouth, esophagus, and stomach.

ingestion Acute:

No known chronic hazards. Not listed on NTP, IARC or OSHA as carcinogen.

Chronic Hazards: Physical Hazards:

Spilled material is slippery and acidic.

HMIS:

Health:

Flammability:

0

Reactivity: Personal Protection:

0 C

4. FIRST AID MEASURES

Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek immediate medical attention, preferably with an ophthalmologist. If a physician is not immediately available, eye irrigation should be continued for an additional 15 minutes.

Skin Exposure:
Immediately wipe excess material off skin with a dry cloth then wash with plenty of soap and water for at least 5 minutes. See medical attention if irritation develops or persists. Remove contaminated clothing and shoes and clean thoroughly before re-use.

Remove from immediate source of exposure and assure that victim is breathing. If not breathing, administer cardio-pulmonary resuscitation (CPR). If breathing is difficult, administer oxygen if available. Seek medical attention.

if swallowed, do not induce vomiting. If victim is conscious and alert, give 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person. Seek medical attention immediately. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. Vomiting may occur spontaneously. If vomiting occurs and the victim is conscious, give water to further dilute the chemical.

Medical Conditions Possibly Aggravated by Exposure:

Inhalation of product may aggravate existing chromic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

5. FIRE FIGHTING MEASURES

Flash Point:

Not applicable

Flammable Limits:

This material is non-combustible.

Extinguishing Media: Special Fire Fighting Procedures: This material is compatible with all extinguishing media.

Firefighters should wear NIOSH/MSHA approved positive pressure breathing apparatus with full face-

plece and full chemical resistant protective clothing. Dike area to prevent runoff and contamination of

water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: This material is non-combustible.

6. ACCIDENTAL RELEASE MEASURES

Personal Protection:

Wear chemical goggles, body-covering protective clothing, chemical resistant gloves, and rubber boots, Use NIOSH approved respirator where mist occurs.

Spill Cleanup:

Mop up and neutralize liquid, then discharge to sewer in accordance with federal, state and local regulations or permits. Flush area with water to complete cleanup. Exercise caution during

neutralization as heat may be generated.

7. HANDLING AND STORAGE

Handling:

Storage:

Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Keep container closed. Promptly clean residue from closures with cloth dampened with water. Promptly clean up spills. Store in an area that is cool, dry, well ventilated, away from combustible material, and away from Ignition sources. Keep containers closed. Store in clean plastic or stainless steel containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:

Use with adequate ventilation. Keep containers closed. Safety shower and eyewash fountain should

be within direct access.

Respiratory Protection:

This product is not considered respirable in either the liquid or cured forms. However, if the cured product is polished, ground or chipped during processing, handling or use, powders may be released as airborne respirable particles. In these instances, appropriate personal protection equipment and local ventilation controls must be employed. If exposure limits are exceeded and local ventilation is unavailable, a supplied-air respirator or a self-contained NIOSH-approved dust and mist respirator is

Skin Protection:

Wear body-covering protective clothing and gloves.

Eye Protection:

Wear chemical goggles.

9, PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical here represent typical properties of this product. Contact Technical Sales for exact specifications.

Appearance: Color:

Viscous paste White

Odor: pH:

Odorless < 2.5 1.40

Specific Gravity, g/cc Water Solubility:

Soluble Not avallable Not avallable

Meiting Point Range: **Boiling Point Range:** Vapor Pressure: Vapor Density (air=1):

VOC Content, g/l:

Not available Not available 0.00

10. STABILITY AND REACTIVITY

Chemical Stability:

This material is stable under all conditions of use and storage.

Conditions to Avoid:

Acidic in nature and reacts with bases such as carbonates, oxides and hydroxides of alkali metals to form insoluble hydrates of aluminum phosphate.

Hazardous Polymerization:

Will not occur.

Hazardous Decomposition Materials: Oxides of phosphorous (under fire conditions).

11. TOXICOLOGICAL INFORMATION

Acute Toxicity Data:

Not available Not available

Chronic Toxicity Data:

12. ECOLOGICAL INFORMATION

Ecotoxity:

Not tested

Environmental Fate: Physical/Chemical:

Not tested Sinks and mixes with water. Only water will evaporate from this material.

13. DISPOSAL CONSIDERATIONS

Disposal Method:

Dispose in accordance with federal, state and local regulations and permits.

14. TRANSPORTATION INFORMATION

DOTIIATA Proper Shipping Name: Technical Shipping Name:

Corrosive Liquid, Acidic, Inorganic, N.O.S.

Aluminum Phosphate Solution

Hazard Class: ID Number:

UN3264

Packing Group: Labels:

Corrosive

15. REGULATORY INFORMATION

U.S. Federal Regulations

CERCLA:

No CERCLA reportable quantity has been established for this material.

TSCA:

All ingredients of this material are listed on the TSCA inventory.

SARA Title III

Sections 302, 304, 313:

This product does not contain any substances reportable under these sections.

Sections 311, 312:

Hazard Classes	Yes/No
Fire Hazard	No
Reactivity Hazard	No
Pressure Hazard	No
Immediate Hazard	Yes
Delayed Hazard	No

International Inventory	Status
Canada (DSL)	Yes
Europe (EINECS/ELINCS)	Yes
Australia (AICS)	Yes
Japan (MITI)	Yes
South Korea (KECL)	Yes

16. OTHER INFORMATION

NFPA:

Health:

Flammability: Reactivity:

ò 0

Key Legend Information

ACGIH

American Conference of Governmental Industrial Hygienists

ARD

International Agency for Research on Cancer Chemical Abstract Service

CAS

CERCLA

Comprehensive Environmental Response, Compensation & Liability Act Domestic Substance List

DSL

HMIS ND

Hazardous Materials Identification System Not Determined

NE NFPA

Not Established

NIOSH

National Fire Protection Association

National Institute for Occupational Safety & Health National Toxicology Program

NTP OSHA

Occupational Safety and Health Administration

PEL

TWA

Permissable Exposure Limit

RTECS SARA SARA Title III Registry of Toxic Effects of Chemical Substances Superfund Amendments & Reauthorization Act Emergency Planning & Community Right to Know Act

SARA Section 302

Extremely Hazardous Substances

SARA Section 304

Emergency Release

SARA Section 311 SARA Section 312 MSDS/List of Chemicals & Hazardous Inventory Emergency & Hazardous Inventory Toxic Chemicals & Release Reporting

SARA Section 313 Short Term Exposure Limit STEL Threshold Limit Value TLV Time Weighted Average

Disclaimer: The information contained herein is based on data taken from sources believed to be both current and reliable at the time of publication. Aremo Products, Inc. makes no warranty, expressed or implied, as to the accuracy of this MSDS and assumes no liability arising from its use by others. Compilance with all applicable Federal, State and Local laws and regulations remains the responsibility of the user.