

SAFETY DATA SHEET

Product: 510
Revision Date: 6/01/2015

1. MATERIAL IDENTIFICATION

Product Name: Ceramacast 510
Product Description: Light Gray Odorless Powder
Product Use: High Temperature Ceramic Potting Compound
Manufacturer: Aremco Products, Inc.
707-B Executive Blvd.
Valley Cottage, NY 10989
Telephone: 845-268-0039
Emergency Phone: 845-268-0039 or Infotrac (24/7) 800-535-5053

2. HAZARDS IDENTIFICATION

GHS Classification:

None

GHS Symbol:

None

GHS Signal Word:

None

GHS Hazard Statements for Health Hazards:

None

GHS Precautionary Statements - Prevention:

P232 Protect from moisture.
P261 Avoid breathing dust.
P264 Wash hands thoroughly after handling
P270 Do not eat or drink when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P284 Wear respiratory protection

GHS Precautionary Statements – Response:

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Remove contact lenses, if present and easy to do. Rinse cautiously with water for several minutes.

GHS Storage/Disposal:

P501 Dispose in accordance with local, regional, national or international regulations.

3. COMPOSITION

Chemical	CAS No.	EC No.	Concentration	GHS Product Identifier
Aluminum Oxide	1344-28-1	215-691-6	40.0-60.0 %	None
Calcium Aluminate	65997-16-2	266-045-5	40.0-60.0 %	None

4. FIRST AID MEASURES

Eye Exposure:

Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek immediate medical attention, preferably with an ophthalmologist. If a physician is not immediately available, eye irrigation should be continued for an additional 15 minutes.

Skin Exposure:

Immediately wipe excess material off skin with a dry cloth then wash with plenty of soap and water for at least 5 minutes. See medical attention if irritation develops or persists. Remove contaminated clothing and shoes and clean thoroughly before re-use.

Inhalation:

Remove from immediate source of exposure and assure that victim is breathing. If not breathing, administer cardio-pulmonary resuscitation (CPR). If breathing is difficult, administer oxygen if available. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. If victim is conscious and alert, give 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person. Seek medical attention immediately. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. Vomiting may occur spontaneously. If vomiting occurs and the victim is conscious, give water to further dilute the chemical.

Medical Conditions Possibly Aggravated by Exposure:

Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

5. FIRE FIGHTING MEASURES

Flash Point:

Not applicable.

Flammable Limits:

This material is non-combustible.

Extinguishing Media:

Not applicable.

Special Fire Fighting Procedures:

Not applicable.

Unusual Fire and Explosion Hazards: This material is non-combustible.

6. ACCIDENTAL RELEASE MEASURES

Personal Protection:

Wear goggles, protective clothing, chemical resistant gloves, and rubber boots. Use NIOSH approved respirator to prevent inhalation of dust.

Spill Cleanup:

Collect material with precaution against breathing dust and dispose in accordance with federal, state and local regulations.

7. HANDLING AND STORAGE

Handling:

Avoid contact with eyes, skin and clothing. Avoid breathing dust. Keep container closed. Promptly clean residue from closures with cloth dampened with water. Promptly clean up spills.

Storage:

Store in an area that is cool, dry, and well ventilated. Keep containers closed. Store in clean plastic or metal containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical	CAS No.	EC No.	TLV (mg/m ³)	PEL (mg/m ³)
Aluminum Oxide	1344-28-1	215-691-6	10	15
Calcium Aluminate	65997-16-2	266-045-5	10	10

Engineering Controls:

Use with adequate ventilation; mechanical dust collector is recommended. Keep containers closed. Safety shower and eyewash fountain should be within direct access.

Respiratory Protection:

If exposure limits are exceeded and local ventilation is unavailable, a supplied-air respirator or a self-contained NIOSH-approved dust respirator is recommended.

Skin Protection:

Wear protective clothing and gloves.

Eye Protection:

Wear chemical goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical here represent typical properties of this product. Contact Technical Sales for exact specifications.

Appearance:	Powder
Color:	Light Gray
Odor:	Odorless
Specific Gravity, g/cc	2.20-2.25 (Post-Cure)
Water Solubility:	~10%
Melting Point:	Not available
Boiling Point:	Not applicable
Vapor Pressure:	Not applicable
Vapor Density (air=1):	Not applicable

10. STABILITY AND REACTIVITY

Chemical Stability:	This material is stable under all conditions of use and storage.
Conditions to Avoid:	Keep exposure to dust levels below TLV. Avoid rapid heating of the cement that may cause spalling or eruption due to vaporization of water.
Materials to Avoid:	BrCL3 and BrF3.
Hazardous Decomposition Products:	None.
Hazardous Polymerization:	Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity Data:	Not available
Chronic Toxicity Data:	Not available

12. ECOLOGICAL INFORMATION

Ecotoxicity:	Not tested
Environmental Fate:	Not tested
Physical/Chemical:	Sinks and mixes with water.

13. DISPOSAL CONSIDERATIONS

Disposal Method:	Dispose in accordance with federal, state and local rules, regulations and laws.
-------------------------	--

14. TRANSPORTATION INFORMATION

DOT UN Status:	The material is not a regulated hazardous material for transportation.
-----------------------	--

15. REGULATORY INFORMATION



U.S. Federal Regulations

CERCLA:	No CERCLA reportable quantity has been established for this material.
TSCA:	All ingredients of this material are listed on the TSCA inventory.
SARA Title III	
Sections 302, 304, 313:	This product does not contain any substances reportable under these sections.
Sections 311, 312:	

<u>Hazard Classes</u>	<u>Yes/No</u>
Fire Hazard	No
Reactivity Hazard	No
Pressure Hazard	No
Immediate Hazard	Yes
Delayed Hazard	No

<u>International Inventory</u>	<u>Status</u>
Canada (DSL)	Yes
Europe (EINECS/ELINCS)	Yes
Australia (AICS)	Yes
Japan (MITI)	Yes
South Korea (KECL)	Yes

16. OTHER INFORMATION

NFPA Ratings (scale 0 – 4)	Health, 1 Flammability, 0 Reactivity, 0 Personal Protection, F	
HMIS Ratings (scale 0 – 4)	Health, 1 Flammability, 0 Reactivity, 0 Personal Protection, F	

Key Legend Information

ACGIH	American Conference of Governmental Industrial Hygienists
ARD	International Agency for Research on Cancer
CAS	Chemical Abstract Service
CERCLA	Comprehensive Environmental Response, Compensation & Liability Act
DSL	Domestic Substance List
HMIS	Hazardous Materials Identification System
ND	Not Determined
NE	Not Established
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RTECS	Registry of Toxic Effects of Chemical Substances
SARA	Superfund Amendments & Reauthorization Act
SARA Title III	Emergency Planning & Community Right to Know Act
SARA Section 302	Extremely Hazardous Substances
SARA Section 304	Emergency Release
SARA Section 311	MSDS/List of Chemicals & Hazardous Inventory
SARA Section 312	Emergency & Hazardous Inventory
SARA Section 313	Toxic Chemicals & Release Reporting
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

Disclaimer: The information contained herein is based on data taken from sources believed to be both current and reliable at the time of publication. Arengo Products, Inc. makes no warranty, expressed or implied, as to the accuracy of this MSDS and assumes no liability arising from its use by others. Compliance with all applicable Federal, State and Local laws and regulations remains the responsibility of the user.